

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	5012	375/376	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L3	100	(adaptive or (dynamically near (set or setting))) with (frequency adj divid\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L4	204	375/215	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L5	379	(clock with extract\$5) and (phase with comparat\$5) and (frequency adj divided) and (vco or (voltage adj control\$3)) and (PLL or (phase adj locked)) and (average or LPF or low adj pass)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L6	0	L5 and L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L7	4	(regeneration same control) and threshold and (clock same phase same setting) and decision and (eye same (pattern or diagam))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L8	3426	375/371	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L9	31	optimal with point with (eye same (diagram or pattern))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05

EAST Search History

L10	3	regeneration with threshold with clock with phase with decision	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L11	0	(clock with extract\$5) with (phase with comparat\$5) with (frequency adj divided) with (vco or (voltage adj control\$3)) with (PLL or (phase adj locked)) with (average or LPF or low adj pass)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L12	1	(regeneration with control) with threshold with (clock with phase with setting) with decision with (eye with (pattern or diagram))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L13	1251	331/34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L14	4	regeneration with control with (eye same (diagram or pattern))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L15	3	clock with extraction with transmission with rate with phase with synchroniz\$5 and regeneration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L16	354	375/214	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L17	11	((frequency adj divid\$3) with (set or setting) with dynamically)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05

EAST Search History

L18	2	clock same extracti\$3 same (transmi\$5 same rate) same (phase same synchroniz\$5) same regeneration same eye	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L19	7	phase with compar\$5 with "exclusive-or" with rising	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L20	1	L5 and L16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L21	7	("4114710" "4164758" "4357943" "4663844" "5394107" "5506531" "5635875").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/17 12:05
L22	4	phase with compar\$5 with "or-exclusive"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L23	0	phase with compar\$5 with exclusive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L24	1	"09/997655"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L25	8	BER with measurement with cycle with signal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L26	4254	331/25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05

EAST Search History

L27	24	clock and extracti\$3 and (transmi\$5 same rate) and (phase same synchroniz\$5) and regeneration and (eye same (diagram or pattern))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L28	0	(PLL or (phase adj locked adj loop)) and ((frequency adj divider) with (set or setting) with dinamically)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L29	28	(adaptiv\$3 or (dynamically near (set or setting))) with (frequency adj divid\$3) and (phase with difference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L30	6	(PLL or (phase adj locked adj loop)) and ((frequency adj divid\$3) with (set or setting) with dynamically)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L31	32	("4097697" "4799790" "4823360" "5418789").PN. OR ("5896391").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/17 12:05
L32	539	331/12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L33	1	L5 and L32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L34	1	(regeneration with control) same threshold same (clock with phase with setting) same decision same (eye with (pattern or diagram))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L35	8	(regeneration same control) and threshold and (clock same phase) and (decision and hold\$4) and (eye same (pattern or diagram)) and exclusive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05

EAST Search History

L36	78	388/911	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L37	8	(clock with extract\$5) same (phase with comparat\$5) same (frequency adj divided) same (vco or (voltage adj control\$3)) same (PLL or (phase adj locked)) same (average or LPF or low adj pass)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L38	2	clock same extracti\$3 with (transmi\$5 with rate) same (phase with synchroniz\$5) and regeneration and eye	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L39	2	"5896391".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L40	3	((regeneration with circuit) and (clock with extraction) and (voltage with threshold)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L41	16	((regeneration with circuit) and (clock with extraction)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L42	10	((adaptive or dinamicly) near12 frequency adj divid\$3) and (phase with difference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L43	6	("5696792" "5920271" "5983082").PN. OR ("6040738").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/17 12:05

EAST Search History

L44	6	regeneration and (eye same (diagram or pattern)) and (adjacent with point with (match or equal or "same"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L45	6	("5696792" "5920271" "5983082").PN. OR ("6040738").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/17 12:05
L46	5012	375/376	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L47	38	L5 and L46	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L48	0	phase with comparat\$5 with (frequency adj divided) with (vco or (voltage adj control\$3)) with (PLL or (phase adj locked)) with (clock with extraction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L49	14	clock with extraction with transmission with rate with phase	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L50	1473	375/362	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L51	10	L5 and L50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L52	2	"2002141367".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05

EAST Search History

L53	25	L5 and L8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L54	4379	375/354	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L55	16	L5 and L54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L56	2	"4516083".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L57	1	regeneration with (eye same (diagram or pattern)) and (optimal adj point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L58	110	(adaptiv\$3 or (dynamically near (set or setting))) with (frequency adj divid\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L59	37	regeneration and (eye same (diagram or pattern)) and (adjacent with point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L60	4	"4114710".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05

EAST Search History

L61	38	L5 and L2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L62	430	BER with measurement with rate with signal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L63	2	"4625180".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L64	375	phase with comparat\$5 with (frequency adj divided) with (vco or (voltage adj control\$3)) with (PLL or (phase adj locked))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L65	0	phase with compar\$5 with "or-exclusive"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L66	768	331/4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L67	1	L5 and L66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L68	2287	phase with comparat\$5 with (frequency adj divided)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05

EAST Search History

L69	2	"20010038674".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L70	5	phase with comparat\$5 with (frequency adj divided) with (vco or (voltage adj control\$3)) with (PLL or (phase adj locked)) with average	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L71	2202	455/260	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L72	4	L5 and L71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L73	24	(PLL or (phase adj locked adj loop)) and ((frequency adj divider) with adaptive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L74	27	adaptive near5 (frequency adj divid\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L75	28	("5896391").URPN.	USPAT	OR	ON	2007/12/17 12:05
L76	2	((adaptive or dinamicly) near2 frequency adj divid\$3) and (phase with difference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L77	13	("4595992").PN. OR ("5384552").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/17 12:05

EAST Search History

L78	0	(PLL or (phase adj locked adj loop)) and ((frequency adj divid\$3) with (set or setting) with dinamically)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L79	430	kim.in. and "spread" and (spread adj spectrum)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L80	15	BER with measurement with period with signal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L81	2	(adaptive adj frequency adj divid\$3) and (phase with difference)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L82	81	clock with extraction with transmission with rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L83	0	L82 and L64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L84	25	L5 and L26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L85	2208	(PLL or (phase adj locked adj loop)) and ((frequency adj divider) with (set or setting))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05

EAST Search History

L86	0	((regeneration with circuit) and (clock wit extraction)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L87	0	regeneration and (eye same (diagram or pattern)) and (adjacent with poin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L88	8	regeneration and (eye same (diagram or pattern)) same (adjacent with point)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L89	353	phase with compar\$5 with "exclusive-or"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L90	24	(regeneration same control) and threshold and (clock same phase) and decision and (eye same (pattern or diagam))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L91	1	"09/111772"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L92	1	(regeneration same control) and threshold and (clock same phase) and (decision with hold) and (eye same (pattern or diagam))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L93	51	regeneration with (eye same (diagram or pattern))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L94	32	("4097697" "4799790" "4823360" "5418789").PN. OR ("5896391").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/17 12:05

EAST Search History

L95	3	(PLL or (phase adj locked adj loop)) and ((frequency adj divider) with (set or setting) with dynamically)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L96	27	((sweeping or sampling) and (time or interval)) and (voltage with phase) and (error adj rate) and (cycle adj period)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L97	7	power with off with pll with frequency with dividing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L98	4	L5 and L13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L99	1	((sweeping or sampling) with (time or interval)) with (voltage with phase) with (error adj rate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L100	32	("4097697" "4799790" "4823360" "5418789").PN. OR ("5896391").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/17 12:05
L101	2	"5774023".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L102	108	(adaptive or dynamical\$2) with (frequency adj divided)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L103	0	L5 and L36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05

EAST Search History

L104	10	phase with compar\$5 with "exclusive-or" with duty	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L105	990	(PLL or (phase adj locked adj loop)) and ((frequency adj divider) with change)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L106	1	("4595992").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/17 12:05
L107	288	455/180.3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L108	3	"11170392"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L109	5	o/e with filter\$4 with equaliz\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L110	9	(regeneration same control) and threshold and (clock same phase) and (decision and hold\$4) and (eye same (pattern or diagam))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L111	2028	375/373	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L112	195	(adaptive or dynamical\$2) with (frequency adj divid\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05

EAST Search History

L113	0	regeneration with (eye same (diagram or pattern)) and (optimal adj poin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L114	3	clock with extraction with transmission with rate with phase with synchroniz\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L115	2	(clock with extract\$5) with (phase with comparat\$5) with (frequency adj divided) with (vco or (voltage adj control\$3)) with (PLL or (phase adj locked))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L116	0	kim.in. and "spread" and spread adj sprectrum	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L117	12	L5 and L111	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L118	0	((frequency adj divid\$3) with (set or setting) with dinamically)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L119	55	adaptive near10 (frequency adj divid\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L120	18	(clock with extract\$5) and (phase with comparat\$5) and (setting with frequency adj divided) and (vco or (voltage adj control\$3)) and (PLL or (phase adj locked)) and (average or LPF or low adj pass)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05

EAST Search History

L121	0	L5 and L107	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L122	1	(regeneration with control) and threshold and (clock with phase with setting) and decision and (eye with (pattern or diagram))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L123	103	(adaptive or dynamical\$2) with (frequency adj divid\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L124	0	((sweeping or sampling) and (time or interval)) and (voltage with phase) and (error adj rate) and (cycle adj period)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L125	0	((sweeping or sampling) with (time or interval)) with (voltage with phase) with (error adj rate) with (cycle adj period)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L126	379	(clock with extract\$5) and (phase with comparat\$5) and (frequency adj divided) and (vco or (voltage adj control\$3)) and (PLL or (phase adj locked)) and (average or LPF or low adj pass)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L127	4	("4097697" "4799790" "4823360" "5418789").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/17 12:05
L128	2	"20020141367".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05

EAST Search History

L129	19	BER with cycle near signal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:21
L130	430	BER with cycle with signal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:05
L131	2	"5323420".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:25
L132	3	"3384711".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:25
L133	4	"4209852".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/17 12:25

Advanced Search
Preferences

Results 1 - 10 of about 38 for "regeneration circuit" "voltage threshold". (0.29 seconds)

<http://www.google.com/search?hl=en&rls=GGLD%2CGGLD%3A2004-30%2CGGLD%3...> 12/17/07

[电子英语词汇](#) [电子英语](#) [教学](#) [教学相长](#) [icepoint](#)- [[Translate this page](#)]

当前在线5人. 全部内容, 按标题, 按内容, 按作者, 按关键字. 全部大类, 国内新闻, 国际新闻, 开放英语, 教学课件, 教研论文, 教学模式, 创业人才, 实践探索, 本站新闻 ...
[web.lyvec.net/liushf/ReadNews.asp?NewsID=610](#) - 250k -
[Cached](#) - [Similar pages](#) - [Note this](#)

1 2 **Next**

Download [Google Pack](#): free essential software for your PC

"regeneration circuit" "voltage thresh"

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)

drjatorres@gmail.com | [My Notebooks](#) | [Web History](#) | [My Account](#) | [Sign out](#)

Google

"regeneration circuit" "voltage threshold" clock

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 6 of 6 for "**regeneration circuit**" "**voltage threshold**" clock. (0.19 seconds)

Patents in Class 327/78

A circuit to detect the crossing of at least one **voltage threshold** by an input voltage A **regeneration circuit** (16) is disclosed for regenerating noisy, ...
www.freepatentsonline.com/CCL-327-78-p3.html - 76k - [Cached](#) - [Similar pages](#) - [Note this](#)

PCM DETECTOR - Patent 3803502

... by comparing the amplitude of the input signal with a **voltage threshold**. ... supplied by the **clock** CU which comprises: (1) the **regeneration circuit** ...
www.freepatentsonline.com/3803502.html - 31k - [Cached](#) - [Similar pages](#) - [Note this](#)
[[More results from www.freepatentsonline.com](#)]

Monitor for an electrically-controlled system

... Circuit for protecting storage cells; **Clock regeneration circuit** ... representative of a level of said voltage signal relative a **voltage threshold**. ...
patents.tech-lawyers.com/monitor_an_electrically-controlled_system_4467391.html - 51k - [Cached](#) - [Similar pages](#) - [Note this](#)

Dynamic voltage reference circuit

... High-withstand-voltage integrated circuit; **Clock regeneration circuit** the reference voltage node to provide a **voltage threshold** when the output is ...
patents.tech-lawyers.com/dynamic_voltage_reference_circuit_6549049.html - 45k - [Cached](#) - [Similar pages](#) - [Note this](#)
[[More results from patents.tech-lawyers.com](#)]

电子英语词汇_电子英语_教学_教学相长_icepoint- [[Translate this page](#)]

atomic **clock** 原子钟 atomic frequency standard 原子频率标准 atomic hydrogen 原子氢

clock pulse rate 时钟频率 **clock pulse source** 时钟脉冲源 ...

web.lyvec.net/liushf/ReadNews.asp?NewsID=610 - 250k - [Cached](#) - [Similar pages](#) - [Note this](#)

Circuitry for regenerating digital signals in extended distance ...

Abstract, A **regeneration circuit** (16) is disclosed for regenerating noisy, and further having a HIGH **voltage threshold** and a LOW **voltage threshold**, ...
www.wikipatents.com/5323420.html - 154k - [Cached](#) - [Similar pages](#) - [Note this](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 6 already displayed.

If you like, you can repeat the search with the omitted results included.

Try [Google Desktop](#): search your computer as easily as you search the web.

"regeneration circuit" "voltage thresh

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied?](#) [Help us improve](#)

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)

[drjatorres@gmail.com](#) | [My Notebooks](#) | [Web History](#) | [My Account](#) | [Sign out](#)

[Google](#)

"regeneration circuit" "voltage threshold" clock

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 1 of 1 for "**regeneration circuit**" "**voltage threshold**" clock "**error rate**". (0.25 seconds)

[电子英语词汇](#) [电子英语](#) [教学](#) [教学相长](#) [icepoint-](#) [[Translate this page](#)]

atomic **clock** 原子钟 atomic frequency standard 原子频率标准 atomic hydrogen 原子氢

bit **error rate** 比特误差率 bit error ratio 比特误差率 bit rate 位速率 ...

[web.lyvec.net/liushf/ReadNews.asp?NewsID=610](#) - 250k -

[Cached](#) - [Similar pages](#) - [Note this](#)

Download [Google Pack](#): free essential software for your PC

"regeneration circuit" "voltage thresh

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

Basic Search

[Advanced Search](#) [Search Preferences](#)

"regeneration circuit" AND "voltage threshold" AND clo

Search

☒ Journal sources ☒ Preferred Web sources ☒ Other Web sources ☐ Exact phrase

Searched for:: : All of the words: **"regeneration circuit" AND "voltage threshold" AND clock**

Found:: : **3 total** | **0 journal results** | **3 preferred web results** | **0 other web results**

Sort by:: : **relevance** | date

Save checked results

Email checked results

Export checked results

Or

AI

F

- ☐ 1. Circuitry for regenerating digital signals in extended distance communications systems
Asprey, Robert R. (Cybex Corporation), UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT, Jun 1994
patno:US5323420
...monitor. A multiplexing device, represented by switches 56 and 58, multiplexes **clock** and data signals from mouse 42 and keyboard 44 and applies the multiplexed signals to **clock** and data conductors 60 and 62, respectively, of cable 48. While signal conditioning...
Full text available at patent office. For more in-depth searching go to LexisNexis®
[view all 3 results from Patent Offices](#)
[similar results](#)
- ☐ 2. Repeater for pulse code modulated signals
BOXALL FRANK S, UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT, May 1968
patno:US3384711
...known in the art. **Clock** generation circuit...specifically to the **clock regeneration circuit** 15, the pulse code...are coupled to the **clock** generation circuit...controlled by the **voltage threshold** control circuit 17...
Full text available at patent office. For more in-depth searching go to LexisNexis®
[view all 3 results from Patent Offices](#)
[similar results](#)
- ☐ 3. Signal processing and memory arrangement
Hyatt, Gilbert P., UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT, Jun 1980
patno:US4209852
...CCD 920. Mode logic 921 may then generate **clock** pulses 922 to shift the stored charge through...to digital form as digital signals 927. **Clock** signal 922 and convert signal 923 may be...Ser. No. 7490 and decoder 7442. Gating of **clock** signals and generation of quadrature signals...
Full text available at patent office. For more in-depth searching go to LexisNexis®
[view all 3 results from Patent Offices](#)
[similar results](#)

Sponsored links

Thresholds

Get Thresholds Search for Thresholds

www.Ask.com



"regeneration circuit" AND "voltage threshold" AND clo

Search

☒ Journal sources ☒ Preferred Web sources ☒ Other Web sources ☐ Exact phrase

[Downloads](#) | [Library Partners](#) | [Subscribe to News Updates](#) | [User Feedback](#)
[Advertising](#) | [Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

Powered by FAST © Elsevier 2007

Basic Search

[Advanced Search](#) [Search Preferences](#)

"regeneration circuit" AND "voltage threshold" AND clo

☒ Journal sources ☒ Preferred Web sources ☒ Other Web sources ☐ Exact phrase

Searched for:: :All of the words:"**regeneration circuit**" AND "**voltage threshold**" AND **clock**

Found:: :**4 total** | **0 journal results** | **4 preferred web results** | **0 other web results**

Sort by:: :**relevance** | date

Or

Al

F

☐ 1. Electrical energy source

Pierce, Gerald, *UNITED STATES PATENT AND TRADEMARK OFFICE PRE-GRANT PUBLICATION*, Jan 2007

patno:US20070019453

...rated at 2 Watts. Resistor R3 is 45Ω and rated at 2 Watts. **Clock** crystal is approximately 200 Mhz. The inverter shown may...such as, e.g., when a predetermined low inverter output **voltage threshold** has been reached), the regeneration device 625 can feed battery...

Full text available at patent office. For more in-depth searching go to  LexisNexis™

[view all 4 results from Patent Offices](#)

[similar results](#)

☐ 2. Circuitry for regenerating digital signals in extended distance communications systems

Asprey, Robert R. (Cybex Corporation), *UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT*, Jun 1994

patno:US5323420

...monitor. A multiplexing device, represented by switches 56 and 58, multiplexes **clock** and data signals from mouse 42 and keyboard 44 and applies the multiplexed signals to **clock** and data conductors 60 and 62, respectively, of cable 48. While signal conditioning...

Full text available at patent office. For more in-depth searching go to  LexisNexis™

[view all 4 results from Patent Offices](#)

[similar results](#)

☐ 3. Repeater for pulse code modulated signals

BOXALL FRANK S, *UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT*, May 1968

patno:US3384711

...known in the art. **Clock** generation circuit...specifically to the **clock regeneration circuit** 15, the pulse code...are coupled to the **clock** generation circuit...controlled by the **voltage threshold** control circuit 17...

Full text available at patent office. For more in-depth searching go to  LexisNexis™

[view all 4 results from Patent Offices](#)

[similar results](#)

☐ 4. Signal processing and memory arrangement

Hyatt, Gilbert P., *UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT*, Jun 1980

patno:US4209852

...CCD 920. Mode logic 921 may then generate **clock** pulses 922 to shift the stored charge through...to digital form as digital signals 927. **Clock** signal 922 and convert

signal 923 may be...Ser. No. 7490 and decoder 7442. Gating of **clock** signals and generation of quadrature signals...

Full text available at patent office. For more in-depth searching go to  LexisNexis™
[view all 4 results from Patent Offices](#)
[similar results](#)



"regeneration circuit" AND "voltage threshold" AND clo

Search

☒ Journal sources ☒ Preferred Web sources ☒ Other Web sources ☐ Exact phrase

[Downloads](#) | [Library Partners](#) | [Subscribe to News Updates](#) | [User Feedback](#)
[Advertising](#) | [Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

Powered by FAST © Elsevier 2007

About Us

Newsroom

Advisory Board

Submit Web Site

Help

Contact Us

Basic Search

[Advanced Search](#) [Search Preferences](#)

"regeneration circuit" AND "voltage threshold"

Search

☒ Journal sources ☒ Preferred Web sources ☒ Other Web sources ☐ Exact phrase

Searched for:: :All of the words:"**regeneration circuit**" AND "**voltage threshold**"




Found:: :**8 total** | **0 journal results** | **8 preferred web results** | **0 other web results**

Sort by:: :**relevance** | **date**

Save checked results

Email checked results

Export checked results

- ☐ 1. Electrical energy source
Pierce, Gerald, *UNITED STATES PATENT AND TRADEMARK OFFICE PRE-GRANT PUBLICATION*, Jan 2007
patno:US20070019453
...control circuit 608. [0073] When directed by the control circuit 608 (such as, e.g., when a predetermined low inverter output **voltage threshold** has been reached), the regeneration device 625 can feed battery charging current to the battery pack 601 via timer 607...
Full text available at patent office. For more in-depth searching go to  LexisNexis[®]
[view all 8 results from Patent Offices](#)
[similar results](#)
- ☐ 2. Circuitry for regenerating digital signals in extended distance communications systems
Asprey, Robert R. (Cybex Corporation), *UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT*, Jun 1994
patno:US5323420
A regeneration circuit (16) is disclosed for regenerating noisy, received digital signals in a high impedance signal line (22). A buffer amplifier (30) is provided with a feedback resistor (36), with the feedback resistor and input to the buffer amplifier ...
Full text available at patent office. For more in-depth searching go to  LexisNexis[®]
[view all 8 results from Patent Offices](#)
[similar results](#)
- ☐ 3. Temperature-compensated apparatus for monitoring current having controlled sensitivity to supply voltage
Brokaw, A. Paul (Analog Devices, Inc.), *UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT*, Mar 1992
patno:US5095274
...determine whether the voltage sensed is above or below a preset **voltage threshold**. The threshold voltage is supplied by a circuit drawn functionally...across the shunt resistance 46 with a predefined switching **voltage threshold**. Input terminals 48 and 50 are connected to the lamp monitoring...
Full text available at patent office. For more in-depth searching go to  LexisNexis[®]
[view all 8 results from Patent Offices](#)
[similar results](#)
- ☐ 4. Temperature-compensated apparatus for monitoring current having controlled sensitivity to supply voltage
Brokaw, A. Paul (Analog Devices, Inc.), *UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT*, May 1994
patno:US5313165

Re
us
fol
cor
int
out
out
pri
pri
sh
sw
tra
Or
Al

F

...determine whether the voltage sensed is above or below a preset **voltage threshold**. The threshold voltage is supplied by a circuit drawn functionally...across the shunt resistance 46 with a predefined switching **voltage threshold**. Input terminals 48 and 50 are connected to the lamp monitoring...

Full text available at patent office. For more in-depth searching go to  LexisNexis[®]
[view all 8 results from Patent Offices](#)
[similar results](#)

☐ 5. TEMPERATURE-COMPENSATED APPARATUS FOR MONITORING CURRENT HAVING REDUCED SENSITIVITY TO SUPPLY VOLTAGE

BROKAW, A., Paul (ANALOG DEVICES, INC.), PATENT COOPERATION TREATY APPLICATION, Apr 1991
patno:WO9104495

...sensed is above or below a preset **voltage threshold**. The threshold voltage is supplied...resistance 46 with a predefined switching **voltage threshold**. Input terminals 48 and 50 are connected...connected to terminal 56. The switching **voltage threshold** for the comparator is generated as...

Full text available at patent office. For more in-depth searching go to  LexisNexis[®]
[view all 8 results from Patent Offices](#)
[similar results](#)

☐ 6. TEMPERATURE-COMPENSATED APPARATUS FOR MONITORING CURRENT HAVING REDUCED SENSITIVITY TO SUPPLY VOLTAGE

BROKAW, A., Paul (ANALOG DEVICES, INCORPORATED), EUROPEAN PATENT, Dec 1993
patno:EP573408

...determine whether the voltage sensed is above or below a preset **voltage threshold**. The threshold voltage is supplied by a circuit drawn functionally...across the shunt resistance 46 with a predefined switching **voltage threshold**. Input terminals 48 and 50 are connected to the lamp monitoring...

Full text available at patent office. For more in-depth searching go to  LexisNexis[®]
[view all 8 results from Patent Offices](#)
[similar results](#)

☐ 7. Repeater for pulse code modulated signals

BOXALL FRANK S, UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT, May 1968
patno:US3384711


...now more specifically to the clock **regeneration circuit** 15, the pulse code type pulses appearing...transformer 13 which is controlled by the **voltage threshold** control circuit 17. This voltage...6 of transformer 13, on which the **voltage threshold** signal appears, is coupled to the...

Full text available at patent office. For more in-depth searching go to  LexisNexis[®]
[view all 8 results from Patent Offices](#)
[similar results](#)

☐ 8. Signal processing and memory arrangement

Hyatt, Gilbert P., UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT, Jun 1980
patno:US4209852

An improved arrangement is provided for processing analog and digital signals, where particular advantages are obtained using charge coupled devices (CCDs). A memory arrangement utilizes a novel refresh circuit to re-establish signal amplitudes which are ...

Full text available at patent office. For more in-depth searching go to  LexisNexis[®]
[view all 8 results from Patent Offices](#)
[similar results](#)



"regeneration circuit" AND "voltage threshold"

Search

☒ Journal sources ☒ Preferred Web sources ☒ Other Web sources ☐ Exact phrase

[Downloads](#) | [Library Partners](#) | [Subscribe to News Updates](#) | [User Feedback](#)
[Advertising](#) | [Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

Powered by FAST © Elsevier 2007

**Search Results****BROWSE****SEARCH****IEEE XPLORE GUIDE**

Results for "((regeneration circuit and voltage threshold)<in>metadata)"

Your search matched 0 of 1705618 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard


Modify Search

((regeneration circuit and voltage threshold)<in>metadata)

Search☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract**IEEE/IET****Books****Educational Courses****A****IEEE/IET journals, transactions, letters, magazines, conference proceedings, and**[view selected items](#)[Select All](#) [Deselect All](#)**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

Indexed by

[Help](#) [Contact Us](#)

© Copyright 20



Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((regeneration and voltage and threshold)<in>metadata)"

Your search matched 5 of 1705618 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.



» Search Options

[View Session History](#)[New Search](#)

» Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

((regeneration and voltage and threshold)<in>metadata)

Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

IEEE/IET

Books

Educational Courses

A

IEEE/IET journals, transactions, letters, magazines, conference proceedings, and

[view selected items](#)[Select All](#) [Deselect All](#)

- ☐ 1. **Oscillators with Automatic Control of the Threshold of Regeneration**
Groszkowski, J.;
[Proceedings of the IRE](#)
Volume 22, [Issue 2](#), Feb. 1934 Page(s):145 - 151
[AbstractPlus](#) | Full Text: [PDF\(576 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 2. **10-Gb/s optical DPSK packet receiver proof against large power fluctuat**
Nizhizawa, H.; Yamada, Y.; Shibata, Y.; Habara, K.;
[Photonics Technology Letters, IEEE](#)
Volume 11, [Issue 6](#), June 1999 Page(s):733 - 735
Digital Object Identifier 10.1109/68.766801
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(64 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 3. **Complementary-SCR ESD protection circuit with interdigitated finger-tyl submicron CMOS IC's**
Ming-Dou Ker; Chung-Yu Wu;
[Electron Devices, IEEE Transactions on](#)
Volume 42, [Issue 7](#), July 1995 Page(s):1297 - 1304
Digital Object Identifier 10.1109/16.391212
[AbstractPlus](#) | Full Text: [PDF\(728 KB\)](#) IEEE JNL
[Rights and Permissions](#)
- ☐ 4. **Distinct regeneration capability of 40 Gbit/s signal impaired with amplitu using SOA-based all-optical polarization discriminated switch**
Tsurusawa, M.; Nishimura, K.; Inohara, R.; Usami, M.;
[Optical Fiber Communication Conference and Exhibit, 2002. OFC 2002](#)
17-22 Mar 2002 Page(s):84 - 86
Digital Object Identifier 10.1109/OFC.2002.1036221
[AbstractPlus](#) | Full Text: [PDF\(357 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 5. **Hydrophobicity of silicone rubber used for outdoor insulation**
Chang, J.W.; Gorur, R.S.;
[Properties and Applications of Dielectric Materials, 1994. Proceedings of the Conference on](#)
Volume 1, 3-8 July 1994 Page(s):266 - 269 vol.1
Digital Object Identifier 10.1109/ICPADM.1994.413990
[AbstractPlus](#) | Full Text: [PDF\(252 KB\)](#) IEEE CNF

[Rights and Permissions](#)



[Help](#) [Contact Us](#)

© Copyright 20



Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((regeneration and voltage and threshold and error and rate)<in>metadata)"

Your search matched 0 of 1705618 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.



» Search Options

[View Session History](#)[New Search](#)

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract[IEEE/IET](#)[Books](#)[Educational Courses](#)[A](#)[IEEE/IET journals, transactions, letters, magazines, conference proceedings, and](#)[Select All](#) [Deselect All](#)**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

Indexed by
 Inspec®[Help](#) [Contact Us](#)

© Copyright 20